
# Green County Well Water Monitoring Program















#### Green County

May 2021



#### SAMPLE DISTRIBUTION

NUMBER OF SAMPLES per 1/4 1/4 SECTION






## Today's presentation


- Groundwater Basics: Where does my water come from
- Well Construction
- What do my individual test results mean?
- General groundwater quality in Green County
- Improving your water quality



## **Groundwater Movement**







Groundwater Basics: Where does my water come from? How does your water quality compare? Look for data in your area

Learn about well construction

Interpret my water test results

How to improve my water quality

Who to contact if I need additional assistance



What is Groundwater?

Watersheds of Wisconsin

Aquifers: Our groundwater storage units


Factors that affect groundwater quality

Better Homes and Groundwater


## Aquifers: Our groundwater storage units

Aquifers are geologic formations that store and transmit groundwater.

The aquifer properties determine how quickly groundwater flows, how much water an aquifer can hold and how easily groundwater can become contaminated. Some aquifers may also contain naturally occurring elements that make water unsafe.




Water and contaminants can move quickly through cracks and fractures.



Water moving through tiny spaces in between sand particles or sandstone moves slower and allows for filtration of some contaminants.

Diagram courtesy of WGNHS

Wisconsin's geology is like a layered cake. Underneath all of Wisconsin lies the Crystalline bedrock which does not hold much water. Think of this layer like the foundation of your house. All groundwater sits on top of this foundation. Groundwater is stored in the various sandstone, dolomite and sand/gravel aquifers above the crystalline bedrock layer. The layers are arranged in the order which they formed, oldest on the bottom and youngest on top.



## Green County Geology




This resource characteristic map was derived from generalized statewide information at small scales, and cannot be used for any site-specific purposes.

Map source: Schmidt, R.R., 1987, Groundwater contamination susceptibility map and evaluation: Wisconsin Department of Natural Resources, Wisconsin's Groundwater Management Plan Report 5, PUBL-WR-177-87, 27 p.

Figure created for the "Protecting Wisconsin's Groundwater Through Comprehensive Planning" web site, 2007, http://wi.water.usgs.gov/gwcomp/

### water basics

- > "Universal Solvent"
- ➤ Naturally has "stuff" dissolved in it.
  - Impurities depend on rocks, minerals, land-use, plumbing, packaging, and other materials that water comes in contact with.
- Can also treat water to take "stuff" out



# Interpreting Drinking Water Test Results

## Tests important to health:

- Bacteria
- Sodium
- Nitrate
- Copper
- Lead
- Triazine
- Zinc
- Sulfate
- Arsenic

## Tests for aesthetic (taste,color,odor) problems:

- Hardness
- Iron
- Manganese
- Chloride

## Other important indicator tests:

- Saturation Index
- Alkalinity
- Conductivity
- Potassium

Red = human-influenced Blue = naturally found

## **Health Concern Categories**

#### **Acute Effects**

 Usually seen within a short time after exposure to a particular contaminant or substance.

(ex. Bacteria or viral contamination which may cause intestinal disease)

#### **Chronic Effects**


- Result from exposure to a substance over a long period of time.
- Increase risk of developing health complications later in life.


(ex. Arsenic or pesticides can increase the risk of developing certain cancers)



# Chronic related health concerns are generally about risk management

#### **National Cancer Risk Factors with Percentages**





| Being struck by lightning                    | 0.16 in 1,000 chance.                                 |
|--|---|
| 0.010 mg/L of arsenic in drinking water.     | 3 out of 1,000 people likely to develop cancer.       |
| 2 pCi of indoor radon level.                 | 4 out of 1,000 people likely to develop lung cancer.1 |
| 2 pCi of indoor radon combined with smoking. | 32 out of 1,000 people could develop lung cancer.1    |

Drinking water quality is only one part of an individual's total risk.

## Private vs. Public Water Supplies

#### **Public Water Supplies**

 Regularly tested and regulated by drinking water standards.


#### **Private Wells**

- Not required to be regularly tested.
- Not required to take corrective action
- Owners must take special precautions to ensure safe drinking water.



## Coliform bacteria

- Generally do not cause illness, but indicate a pathway for potentially harmful microorganisms to enter your water supply.
  - Harmful bacteria and viruses can cause gastrointestinal disease, cholera, hepatitis
- Well Code: "Properly constructed well should be able to provide bacteria free water continuously without the need for treatment"
- Recommend using an alternative source of water until a test indicates your well is absent of coliform bacteria
- Sources:
  - Live in soils and on vegetation
  - Human and animal waste
  - Sampling error



Greater than or equal to 1

Present = Unsafe

Zero bacteria Absent = Safe

# If coliform bacteria was detected, we also checked for e.coli bacteria test

- Confirmation that bacteria originated from a human or animal fecal source.
- E. coli are often present with harmful bacteria, viruses and parasites that can cause serious gastrointestinal illnesses.
- Any detectable level of E.coli means your water is unsafe to drink.

| Contaminants  | Sources   | Symptoms  |
|---|---|---|
| BACTERIA  |   |   |
| Escherichia coliform (E. coli) Salmonella Campylobacter E. coli 0157 (Requires a special water test for detection. Causes similar, but more serious illness than other E.coli strains. Requires medical treatment.) | Infected human and animal feces Manure Septic systems Sewage  | Gastrointestinal illness     Low-grade fever     Begins 12 hrs - 7 days after exposure  |
| Leptosporidia  MICROSCOPIC PARASITES  | Urine of livestock, dogs<br>and wildlife Manure   | High fever, severe headache and red eyes     Gastrointestinal illness     Begins 2-28 days after exposure   |
| Cryptosporidia  Giardia  VIRUSES  | Infected human and animal feces Manure Septic systems Sewage  | Gastrointestinal illness     Begins 2-14 days after exposure  |
| Norovirus   | Infected human feces and<br>vomit     Septic systems     Sewage   | Gastrointestinal illness     Low-grade fever & headache     Begins 12-48 hrs after exposure   |
| Nitrate   | <ul><li>Fertilizers</li><li>Manure</li><li>Bio-solids</li><li>Septic systems</li></ul>  | Methemoglobinemia or "Blue Baby<br>Syndrome" – No documented<br>cases in Door County, but elevated<br>nitrate levels in well water may<br>indicate risk of contamination by<br>additional pathogens.  |
| Atrazine<br>(trade-name herbicide for<br>control of broadleaf and grassy<br>weeds)  | Estimated to be most heavily used herbicide in the U.S. in 1987/89, with its most extensive use for corn and soybeans in the Midwest, including WI. In 1993, it became a restricted-use herbicide nationally. U.S. EPA set a max. contaminant level (MCL) at 3 parts per billion for safe drinking water. | Short-term exposure above the MCL may cause: congestion of heart, lungs and kidneys; low blood pressure; muscle spasms; weight loss; damage to adrenal glands.  Long-term exposure above MCL may cause: weight loss, cardiovascular damage, retinal and some muscle degeneration; cancer. |

# Well




## Other things to look for....














# What should I do if coliform bacteria was present?

- 1. Use alternative source of water for drinking
- 2. Retest
- 3. Try to identify any sanitary defects
  - Loose or non-existent well cap
  - Well construction faults
  - A nearby unused well or pit
  - Inadequate filtration by soil
- 4. Disinfect the well
- 5. Retest to ensure well is bacteria free.
- For reoccurring bacteria problems the best solution may be a new well or if new well is unlikely to remedy the problem because of geology, may seek approval for treatment.





## Tests for Aesthetic Problems

### **Hardness**

- Natural (rocks and soils)
- Primarily calcium and magnesium

 Problems: scaling, scum, use more detergent, decrease water heater efficiency





#### **Green County**


May 2021



#### TOTAL HARDNESS (ppm CaCO3)

| A 50         | 12 | 8%   |
|--------------|----|------|
| B 51 - 100   | 3  | 2%   |
| C 101 - 200  | 3  | 2%   |
| 201 - 300    | 18 | 13 % |
| 301 - 400    | 91 | 64%  |
| <b>3</b> 401 | 15 | 11 % |

Mapped value is the average for the 1/4 1/4 section Treated samples not mapped





## Water Softening


Water softeners remove calcium and magnesium which cause scaling and exchange it for sodium (or potassium).

- Negative: Increases sodium content of water.
- Suggestions:
  - Bypass your drinking water faucet.
  - Do not soften water for outdoor faucets.
  - If you are concerned about sodium levels – use potassium chloride softener salt.




## **Tests for Overall Water Quality**

- Alkalinity ability to neutralize acid
- Conductivity
  - Measure of total ions
  - can be used to indicate presence of contaminants (~ twice the hardness)
- pH Indicates water's acidity and helps determine if water will corrode plumbing



# Tests for Overall Water Quality Saturation Index




Corrosion occurs



Scaling occurs





## Nitrate-Nitrogen


#### **Health Effects:**

- Methemoglobinemia (blue baby disease)
- Possible links to birth defects and miscarriages (humans and livestock)
- Indicator of other contaminants

#### Sources:

- Agricultural fertilizer
- Lawn fertilizer
- Septic systems
- Animal wastes







## Test Important to Health

## Nitrate Nitrogen

- Greater than 10 mg/L Exceeds State and Federal Limits for Drinking Water
- Between 2 and 10 mg/L
  Some Human Impact
- Less than 2.0 mg/L "Transitional"
- Less than 0.2 mg/L "Natural"





#### **Green County**


May 2021




#### NITRATE-NITRITE (ppm N)

| A None Detected | 11 | 8%   |
|-----------------|----|------|
| <b>B</b> 2.0    | 46 | 32 % |
| C 2.1 - 5.0     | 46 | 32 % |
| D 5.1 - 10.0    | 32 | 23 % |
| 10.1 - 20.0     | 7  | 5%   |
| <b>3</b> 20.1   | 0  | 0 %  |

Mapped value is the average for the 1/4 1/4 section Treated samples not mapped







# What can I do to reduce my nitrate levels?

#### Solution:

Eliminate contamination source or reduce nitrogen inputs

#### **Short term:**

- Change well depth or relocate well
- Carry or buy water
- Water treatment devices
  - Reverse osmosis
  - Distillation
  - Anion exchange


Tests for Aesthetic Problems

## **Chloride**

- Greater than 250 mg/l
  - No direct effects on health
  - Salty taste
  - Exceeds recommended level
- Greater than 10 mg/l may indicate human impact
- Less than 10 mg/l considered "natural" in much of WI
- Sources: Fertilizers, Septic Systems and Road Salt

250 mg/l Less than

10 mg/l



#### **Green County**


May 2021



#### CHLORIDE (ppm)

| A None Detected | 0  | 0%   |
|-----------------|----|------|
| <b>3</b> 10     | 60 | 42 % |
| C 11 - 50       | 72 | 51 % |
| D 51 - 100      | 9  | 6%   |
| 101 - 200       | 1  | <1 % |
| <b>3</b> 201    | 0  | 0 %  |

Mapped value is the average for the 1/4 1/4 section Treated samples not mapped





## Test Important to Health

## **Arsenic**


Sources: Naturally occurring in


mineral deposits

**Standard:** 0.010 mg/L (10 ppb)

#### **Health Effects:**

- Increased risk of skin cancers as well as lung, liver, bladder, kidney, and colon cancers.
- Circulatory disorders
- Stomach pain, nausea, diarrhea
- Unusual skin pigmentation





#### **Green County**


May 2021



#### ARSENIC (mg/l)

| A None Detected | 39 | 33 % |
|-----------------|----|------|
| B 0.010         | 77 | 66 % |
| © 0.011 - 0.050 | 1  | <1 % |
| 0.051 - 0.100   | 0  | 0 %  |
| 0.101 - 0.150   | 0  | 0 %  |
| <b>3</b> 0.151  | 0  | 0 %  |

Mapped value is the average for the 1/4 1/4 section Treated samples not mapped






## Tests for Aesthetic Problems

#### Iron

- Natural (rocks and soils)
- May benefit health
- Red and yellow stains on clothing, fixtures
- If iron present, increases potential for iron bacteria
  - · Slime, odor, oily film



Greater than 0.3 mg/L

Aesthetic problems likely

Less than 0.3 mg/L

## Test Important to Health

## Copper

- Sources: Copper water pipes
- Standard: Less than 1.3 mg/L is suitable for drinking



#### **Health Effects:**

- Some copper is needed for good health
- Too much may cause problems:
  - · Stomach cramps, diarrhea,
  - vomiting, nausea
  - Formula intolerance in infants

## Test Important to Health

#### Lead

**Sources:** Lead solder joining copper pipes (pre-1985) or brass fixtures

**Standard:** 0.015 mg/L (15 ppb)

#### **Health Effects:**

- Young children, infants and unborn children are particularly vulnerable.
- Lead may damage the brain, kidneys, nervous system, red blood cells, reproductive system.



## **Lead and Copper**

#### **Solutions:**

- Allow water to run for a minute or two before using for drinking or cooking
- Use a treatment device, but generally not necessary



## Pesticides in Drinking Water

- Pesticides include: insecticides, herbicides, fungicides and other substances used to control pests.
- Health standards usually only account for parent compound.
- Parent compounds breakdown over time.
- Little research into health effects from the combination of chemicals..



## Most frequently detected pesticides in Wisconsin:

- Alachlor\* and its chemical breakdown products
- Metolachlor and its chemical breakdown products
- Atrazine\*\* and its chemical breakdown products
- Metribuzin
- Cyanazine and its chemical breakdown products.

## Tests Important to Health

#### **DACT Screen**

**Sources:** Triazine pesticides (mainly atrazine used on corn crops)


**DACT Screen:** Only measures the diaminochlorotriazine (DACT) residue levels of triazine type pesticides (atrazine, simazine, propazine, cyanazine, etc)

Specific to diaminochlorotriazine (DACT), does not account for parent compound or other breakdown components

#### Drinking water limit:

3 ppb of total atrazine (atrazine + the 3 breakdown components)





#### **Green County**


May 2021



#### DACT (ug/l)

| A None Detected | 93 | 80 % |
|-----------------|----|------|
| B 0.3           | 18 | 16 % |
| C 0.4 - 1.0     | 2  | 2%   |
| D 1.1 - 2.0     | 3  | 3%   |
| 2.1 - 3.0       | 0  | 0 %  |
| <b>3</b> .1     | 0  | 0 %  |

Mapped value is the maximum for the 1/4 1/4 section Treated samples not mapped





Center for Watershed Science and Education College of Natural Resources University of Wisconsin-Stevens Point

## Improving water quality

#### Long-term improvements

Eliminate sources of contamination

#### Short-term improvements

- Repair or replace existing well
- Connect to public water supply or develop community water system
- Purchase bottled water for drinking and cooking
- Install a water treatment device
  - Often the most convenient and cost effective solution

# Where do you go from here: Recommended next steps

- Test well annually for bacteria, or if water changes color or clarity.
- Consider testing annually for nitrate, particularly if your levels are approaching 10 mg/L.
- If your nitrate level was greater than 5 mg/L consider testing for pesticides
- If you haven't checked for arsenic consider testing.
- If arsenic was present, test again in 15 months to see if levels have changed significantly.

#### Contact Info:

Kevin Masarik 800 Reserve St. Stevens Point, WI 54481 715-346-4276 kmasarik@uwsp.edu

www.uwsp.edu/cnr/watersheds

## Thanks to you and the following for helping sponsor this program:

 Green County Extension
 Towns of Adams, New Glarus, York, and Washington



